

CRAYLER F3 PRO SERIES

PALFINGER CRAYLER



STRONG FORKLIFTS FOR DEMANDING CUSTOMERS



Their cleverly thought-out design and low maintenance expense make CRAYLER transportable forklifts efficient and reliable tools for every user. In an extremely wide range of different sectors they impress by virtue of their manoeuvrability, quality and precise controllability.



In addition, the numerous equipment variants facilitate perfect adaptation to the needs of our customers. As a result we are continuously expanding the range of duties covered by our forklifts and are therefore opening up new areas of work and service possibilities for our partners.



Successful in sectors such as recycling and the transport of beverages and gas cylinders

Technical data	F3 151 PRO	F3 201 PRO
Load capacity	1500 kg / 600 mm	2000 kg / 1300 mm
Engine	3 cyl. diesel engine 18 kW (24.5 hp)	3 cyl. diesel engine 18 kW (24.5 hp)
Dead weight	from 1340 kg (without forks)	from 1635 kg (without forks)
Lift height	to 2850 mm	to 3700 mm

THE STRONGEST IN ITS CLASS



Technical data	F3 253 PRO
Load capacity	2500 kg / 600 mm
Engine	3 cyl. diesel engine 18 kW (24.5 hp) or 4 cyl. diesel engine 24.5 kW (33.3 hp)
Dead weight	from 1795 kg (without forks)
Lift height	to 3700 mm

A RELIABLE PARTNER

Transportable forklifts are a key link in the transport chain – and CRAYLER products always stand out by virtue of their excellent reliability. What's more, thanks to their special KTL coating CRAYLER transportable forklifts can withstand all weather conditions and the high-performance drive system enables them to be steered to their destination over any terrain with pinpoint accuracy. For even more efficiency to the benefit of our demanding customers.



Technical data	F3 153 PRO	F3 203 PRO
Load capacity	1500 kg / 600 mm	2000 kg / 1300 mm
Engine	3 cyl. diesel engine 18 kW (24.5 hp)	3 cyl. diesel engine 18 kW (24.5 hp) or 4 cyl. diesel engine 24.5 kW (33.3 hp)
Dead weight	from 1440 kg (without forks)	from 1630 kg (without forks)
Lift height	to 2850 mm	to 3700 mm



FLEXIBILITY IS ITS STRENGTH

Four ways lead to success! In particular in the transport of long goods in narrow streets and entrances the CRAYLER F3 PRO 4W shows its strengths: with its movable front wheels this forklift can also be driven sideways. As a result, this CRAYLER is ideal for transporting bulky loads in very tight spaces.

Thanks to the 4-way mode all these types of job can be handled quickly and effortlessly.



Precise hose routing guarantees longest service life



Retracted steering cylinders = optimal protection during transportation on the truck

Technical data	F3 203 PRO 4W
Load capacity	2000 kg / 1300 mm
Engine	4 cyl. diesel engine 24.5 kW (33.3 hp)
Dead weight	from 1820 kg (without forks)
Lift height	to 3700 mm

PERFECT TRANSPORTABLE FORKLIFTS



Drive + steering

Quality high-performance drives guarantee efficient forklift operation and long service life. Excellent manoeuvrability thanks to 180° steering angle = fast, convenient working



PALFINGER Service

- Worldwide Service Cover
- Qualified customer service staff



Directly flanged pump

Easy and time-saving maintenance, reliable and sound technology



Central seat

The centrally located seat provides for high safety and comfort



Compact design

Low dead weight and compact design, well-protected but easily accessible components



Clear-view mast

Best-possible overview of any job



KTL paintwork

Best corrosion protection through cathodic dip painting and powder coating



Operation

Ergonomically arranged controls

The forklifts illustrated in some cases feature optional equipment and do not always reflect the standard design. Country-specific regulations must be observed in respect of forklift mounting.



We reserve the right to change design and specification without prior notice.

KP-CRF3PROSERM1+E, 11/05

www.palfinger.com